

内科学講座糖尿病・代謝・内分泌内科分野

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
石垣 泰	内科学講座糖尿病・代謝・内分泌内科分野	教授	医学博士	代謝学	<p>①Todate Y, Uwano I, Yashiro S, Chida A, Hasegawa Y, Oda T, Nagasawa K, Honma H, Sasaki M, Ishigaki Y. High Prevalence of Cerebral Small Vessel Disease on 7T Magnetic Resonance Imaging in Familial Hypercholesterolemia. J Atheroscler Thromb. 2019 Mar 15. [Epub ahead of print]</p> <p>②Ishigaki Y, Kawagishi N, Hasegawa Y, Sawada S, Katagiri H, Satomi S, Oikawa S. Liver Transplantation for Homozygous Familial Hypercholesterolemia. J Atheroscler Thromb. 2019; 26(2):121-127.</p> <p>③Izumi T, Imai J, Yamamoto J, Kawana Y, Endo A, Sugawara H, Kohata M, Asai Y, Takahashi K, Kodama S, Kaneko K, Gao J, Uno K, Sawada S, Kalinichenko VV, Ishigaki Y, Yamada T, Katagiri H. Vagus-macrophage-hepatocyte link promotes post-injury liver regeneration and whole-body survival through hepatic FoxM1 activation. Nat Commun. 2018; 9(1):5300.</p> <p>④Murai T, Takebe N, Nagasawa K, Todate Y, Nakagawa R, Nakano R, Hangai M, Hasegawa Y, Takahashi Y, Yoshioka K, Ishigaki Y. Association of epicardial adipose tissue with serum level of cystatin C in type 2 diabetes. PLoS One. 2017; 12(9):e0184723.</p> <p>⑤日本学術振興会科学研究費・基盤研究(C) 「課題名：高度肥満者の内臓脂肪組織における調節機構破綻のメカニズムの解明（代表）」2018年</p>
高橋 義彦	内科学講座糖尿病・代謝・内分泌内科分野	准教授	医学博士	代謝学・内分泌学	<p>①Oba S, Noda M, Waki K, Nanri A, Kato M, Takahashi Y, Poudel-Tandukar K, Matsushita Y, Inoue M, Mizoue T, Tsugane S; for the Japan Public Health Center-based Prospective Study Group. Smoking Cessation Increases Short-Term Risk of Type 2 Diabetes Irrespective of Weight Gain: The Japan Public Health Center-Based Prospective Study. PLoS One. 2012;7(2):e17061. Epub 2012 Feb 13.</p> <p>②Tsujiimoto T, Kajio H, Takahashi Y, Kishimoto M, Noto H, Yamamoto-Honda R, Kamimura M, Morooka M, Kubota K, Shimbo T, Hiroe M, Noda M. Asymptomatic coronary heart disease in patients with type 2 diabetes with vascular complications: a cross-sectional study. BMJ Open. 2011; 2:e000139.</p> <p>③Isogawa A, Noda M, Takahashi Y, Kadowaki T, Tsugane S. Coffee consumption and risk of type 2 diabetes. Lancet 2003; 361:702-703.</p> <p>④Takahashi Y, Noda M, Tsugane S, Kuzuya T, Ito C, Kadowaki T. Prevalence of diabetes estimated by plasma glucose criteria combined with standardized measurement of HbA1c among health checkup participants on Miyako Island, Japan. Diabetes Care 2000; 8: 1092-1096.</p> <p>⑤Takahashi Y, Kadowaki H, Ando A, Quin JD, MacCuish AC, Yazaki Y, Akanuma Y, Kadowaki T. Two aberrant splicings caused by mutations in the insulin receptor gene in cultured lymphocytes from a patient with Rabson-Mendenhall's syndrome. J. Clin. Invest. 1998; 101: 588-594.</p>

内科学講座糖尿病・代謝・内分泌内科分野

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
武部 典子	内科学講座糖尿病・代謝・内分泌内科分野	講師	医学博士	代謝学・内分泌学	<p>① Fujita N, Baba T, Tomiyama T, Kodama T, Kato N. Hyperinsulinaemia and blood pressure with insulinom. BMJ. 304(6835):1157(1992)</p> <p>② 武部典子、藤丸 潔、松原 潔、種市春仁、歳弘真貴子、吉成 仁、石田 弥、金子能人、澤田哲伸、佐々木正孝、佐藤俊一. 悪性貧血を合併した抗グルタミン酸脱炭酸酵素抗体陽性の緩徐進行型1型糖尿病の一例. 糖尿病. 43:367-371(2000)</p> <p>③ Takebe N, Ishii M, Fujiwara F, Taneichi H, Toshihiro M, Yamashina M, Kajiwara T, Miura M, Ishida W, Takahashi K, Kaneko Y, Satoh J. Blood glucose fluctuation is an independent risk factor of coronary calcification in Japanese patients with type 2 diabetes. American Diabetes Association 67th Scientific Sessions; 2007; Chicago, USA.</p> <p>④ Takebe N, Takahashi T, Honma H, Kakino S, Yamashina M, Ishii M, Fujiwara F, Kajiwara T, Taneichi H, Miura M, Ishida W, Takahashi K, kaneko Y, Satoh J. Blood glucose fluctuation is an independent predictor for plasma remnant-like lipoprotein particle-cholesterol level in patients with type 2 diabetes. the American Diabetes Association's 68th Scientific Sessions; 2008; San Francisco, USA.</p> <p>⑤ Takebe N, Masaya M, Nagasawa K, Takahashi T, Kakino S, Honma H, Yamashina M, Ishii M, Fujiwara F, Kajiwara T, Taneichi H, Takahashi K, Satoh J. Serum osteoprotegerin is related to coronary artery calcification, urinary albumin excretion, and diabetic retinopathy in Japanese patients with Type 2 diabetes. the 50th Annual Meeting of the European Association of Study for Diabetes; 2010; Stockholm, Sweden.</p>
瀬川 利恵	内科学講座糖尿病・代謝・内分泌内科分野	講師	医学博士	代謝学・内分泌学	<p>① Nakamura M, Tanaka F, Segawa T, Takahashi T, Matsuura Y, Sakai T, Nishiyama O, Niiyama M, Onoda T, Koshiyama M, (on behalf of Northern Iwate Heart Disease Registry Consortium) . Temporal Trends in the Incidence and Clinical Features of Acute Myocardial Infarction in a Japanese Rural Area From 2006 to 2014. Circ J 2017; 81: 1854-1861.</p> <p>② Koeda Y, Tanaka F, Segawa T, Ohta M, Ohsawa M, Tanno K, Makita S, Ishibashi Y, Itai K, Omama S, Onoda T, Sakata K, Ogasawara K, Okayama A, Nakamura M. Comparison between urine albumin-to-creatinine ratio and urine protein dipstick testing for prevalence and ability to predict the risk for chronic kidney disease in the general population (Iwate-KENCO study): a prospective community-based cohort study. BMC Nephrol. 2015;12:17(1):46.</p> <p>③ Koeda Y, Tanaka F, Segawa T, Ohta M, Ohsawa M, Tanno K, Makita S, Ishibashi Y, Omama S, Onoda T, Nakamura M. Usefulness of risk grading system using albuminuria for predicting cardiovascular events and all-cause death in chronic kidney disease: a population-based prospective cohort study in Japan. Int J Cardiol .2014;175(3):576-577.</p> <p>④ 瀬川利恵, 中村元行. BNPとNT-proBNP, どちらが優れている? そのメリットとデメリット. Mebio .2013;30(1):109-114.</p> <p>⑤ Toshie S, Motoyuki N, Kazuyoshi I, Toshiyuki O, Akira O, Katsuhiko H. B-type Natriuretic Peptide Levels and Risk Factors for Congestive Heart Failure in a Japanese General Population. Int Heart J. 2005;46(3):465-75.</p>

内科学講座糖尿病・代謝・内分泌内科分野

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
長谷川 豊	内科学講座糖尿病・代謝・内分泌内科分野	特任講師	医学博士	代謝学(糖尿病)	①Todate Y, Uwano I, Yashiro S, Chida A, Hasegawa Y, Oda T, Nagasawa K, Honma H, Sasaki M, Ishigaki Y. High Prevalence of Cerebral Small Vessel Disease on 7T Magnetic Resonance Imaging in Familial Hypercholesterolemia. J Atheroscler Thromb. 2019 Mar 15. doi: 10.5551/jat.48553. ②Ishigaki Y, Kawagishi N, Hasegawa Y, Sawada S, Katagiri H, Satomi S, Oikawa S. Liver Transplantation for Homozygous Familial Hypercholesterolemia. J Atheroscler Thromb. 2019 Feb 1;26(2):121-127 ③Yashiro S, Kameda H, Chida A, Todate Y, Hasegawa Y, Nagasawa K, Uwano I, Sasaki M, Ogasawara K, Ishigaki Y. Evaluation of Lenticulostriate Arteries Changes by 7 T Magnetic Resonance Angiography in Type 2 Diabetes. J Atheroscler Thromb. 2018 Oct 1;25(10):1067-1075 ④Hasegawa Y, Ikeda K, Chen Y, Alba DL, Stiffler D, Shinoda K, Hosono T, Maretich P, Yang Y, Ishigaki Y, Chi J, Cohen P, Koliwad SK, Kajimura S. Repression of Adipose Tissue Fibrosis through a PRDM16-GTF2IRD1 Complex Improves Systemic Glucose Homeostasis. Cell Metabolism. 2018 Jan 9;27(1):180-194 ⑤Altshuler-Keylin S, Shinoda K, Hasegawa Y, Ikeda K, Hong H, Kang Q, Yang Y, Perera RM, Debnath J, Kajimura S. Beige Adipocyte Maintenance Is Regulated by Autophagy-Induced Mitochondrial Clearance. Cell Metab. 2016 Aug 24. pii: S1550-4131(16)30378-3.
本間 博之	内科学講座糖尿病・代謝・内分泌内科分野	助教		代謝学(糖尿病)	①Ohara M, Maesawa C, Takebe N, Takahashi T, Yamashina M, Ono M, Matsui M, Sasai T, Honma H, Nagasawa K, Fujiwara F, Kajiwara T, Taneichi H, Takahashi K, Satoh J: Different susceptibility to insulin resistance and fatty liver depending on the combination of TNF- $\alpha$ C-857T and adiponectin G+276T gene polymorphisms in Japanese subjects with type 2 diabetes. Tohoku J Exp Med. 226(2):161-169, 2012. 73. ②藤田友嗣、本間博之、佐藤 譲、藤野靖久、小野寺誠、井上義博、遠藤重厚：中国製健康食品中のグリメピリドおよびロシグリタゾンの検出事例、中毒研究 24 (1) : 51-56、2011.
長澤 幹	内科学講座糖尿病・代謝・内分泌内科分野	助教	医学博士	代謝学(糖尿病)	Nagasawa K, Kaneko Y, Taneichi H, Ishii M, Masaya M, Honma H, Kakino S, Takahashi K, Yoshioka Y, Satoh J: Association of decrease in liver triglyceride content with increase in plasma adiponectin levels after pioglitazone treatment in Japanese patients with type 2 diabetes. J Iwate Med Assoc 62(1): 59-66, 2010.
小田 知靖	内科学講座糖尿病・代謝・内分泌内科分野	助教	医学博士	代謝学(糖尿病)	Oda T, Taneichi H, Takahashi K, Togashi H, Hangai M, Nakagawa R, Ono M, Matsui M, Sasai T, Nagasawa K, Honma H, Kajiwara T, Takahashi Y, Takebe N, Ishigaki Y, Satoh J : Positive association of free triiodothyronine with pancreatic $\beta$ -cell function in people with prediabetes : Diabet Med. 2014 Sep 26.
橋本 朋子	内科学講座糖尿病・代謝・内分泌内科分野	助教			

内科学講座糖尿病・代謝・内分泌内科分野

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
半谷 真理	内科学講座糖尿病・代謝・内分泌内科分野	助教(任期付)			
佐藤 まりの	内科学講座糖尿病・代謝・内分泌内科分野	助教(任期付)			